

# Integration of Cloud Computing for IoT

Lakshmi K K\*, Girija N C, A Christy Persya  
Dept. of ISE, BNMIT, Bengaluru,  
India

## Abstract—

Cloud computing is a major pattern for large data storage and analytics. The combination of cloud computing and IoT can enable the resource sharing more efficiently than individually handling them. In distributed systems, the resources are termed as cloud services and handled in a centralized way. However, new challenges arise when integrating cloud for IoT. This paper presents the architecture for integrating of cloud computing for Internet of Things and its issues

Keywords— Cloud Computing, Internet of Things(IoT), big data.

## I. INTRODUCTION

Cloud computing is an extended form of the distributed computing. Cloud computing combines large number of distributed computed resources. Cloud computing is a model to store the data and is also used for resource sharing. Cloud computing is a universal model suitable for on-demand network access to shared resources. Cloud computing is a model for on-demand access to a shared pool of configurable computing resources such as networks, servers, storage, applications, services, and software, that can be easily provisioned as and when needed [10]. The IoT standard is based on intelligent and self configuring things. The IoT things are connected in a dynamic and universal network infrastructure. It represents one of the most troublemaking technologies, enabling omnipresent and persistent computing scenarios. With the restricted storage and processing capacity, and major issues regarding reliability, performance, security, and privacy IoT is characterized by real world and small things [11]. To provide a universal environment for the resource sharing from any computer IoT is important to integrate with the cloud computing. Integration of cloud computing and IoT is referred to as cloud of things. This paper is organized as follows: Section 2 introduces cloud computing. Section 3 discusses Internet of Things (IoT). Section 4 explains the integration of cloud computing and Internet of Things. Section 5 explains Cloud Of Things. Section 6 describes the issues of CoT. Finally, section 7 concludes this paper.

## II. CLOUD COMPUTING

Cloud computing is a model to share resources. Now days, cloud computing also useful in IT, where the user no need to worry about maintenance and managing the resources. Cloud computing retrieves the information from the internet using the web-based tools and applications. Cloud computing also provides services. The service models of cloud computing are [9]:

- Software as a Service (SaaS): It provides the universal access to sensor data.
- Platform as a Service (PaaS): The ability delivered to the consumer is to organize onto the cloud infrastructure consumer created or acquired applications created using programming languages, libraries, services, and tools supported by the provider.
- Infrastructure as a Service (IaaS) : The skill delivered to the customer is for processing, storage and other computing resources where the customer can organize and run arbitrary software, which can include operating systems and applications.

The categories of services depicted in Fig. 1.




Fig. 1 Services Stack

### III. INTERNET OF THINGS

To communicate and create an omnipresent replicated-objective world, there has been a growing interest in the ability of embedded devices, sensors, actuators. To create a pervasive connection of “things or nodes” across the network, the growth of the notion of the IoT and rapid development of technologies such as short-range mobile communication and improved energy efficiency is expected. This will necessarily result in the generation of the extent amount of data, which have to be stored, processed and accessed. For big data storage and analytics, a Cloud computing concept has been recognized. We can enable ubiquitous sensing services and powerful processing of sensing data streams beyond the capability of individual “things” by the combination of cloud computing and IoT. Thus, innovations are stimulating in both fields. For example, cloud platforms allow the sensing data to be stored and used intelligently for smart monitoring and actuation with the smart devices. To achieve automated decision making a cloud, novel data fusion algorithms, machine learning methods, and artificial intelligence techniques can be implemented and run as centralized or distributed.

IoT will encourage the development of new applications such as smart cities, grids, and transportation systems. During the integration, QoS and QoE, as well as data security, privacy, and reliability, are considered as the critical concerns. The integration of cloud computing and IoT demands for high quality for these type of issues. With respect to the high-quality on integration of cloud and IoT includes some topics of benefits, the following categories:

- Proper Network architecture with supported protocols for cloud and IoT integration
- Data communication management between IoT and cloud
- Machine to machine communication sharing in cloud
- Proper design and modifications with respect to protocols in the integration of cloud and IoT (e.g., CoAP, IPv6)
- Security, privacy and reliability of data in cloud and IoT integration.
- Proper sharing of ubiquitous sensing services and applications in cloud environment.

However, here we are discussing only some categories.

The Architecture of IoT is usually considered to be 3-layer, with Perception layer, Network layer, and Application layer, but Middleware layer and the business layer can add [7][8]. This five-layer architecture is described in the Fig. 2.




Fig.2 Layers of IoT

#### A. Business layer

Business layer is subjected to making money by processing the results or services received from application layer. For management of IoT system including the applications and services are responsible of the business layer. The success of IoT technology depends on good business models.

#### B. Application layer

Application layer couples business services and provides services to the end user (Web Service, UI, etc.). The application layer bridges the gap between the business layer and the boundary technology.

#### C. Perception layer

The perception layer can be abstracted as sensing components/nodes, actuator components/nodes. Sensing components include sensors, RFID, bar code label, intelligent detection instruments and meters, etc. Actuator Components include valve switch, relay, etc. Sensing components and actuator components realize signal acquisition and control functions. The collected information is forwarded to the Network layer for secure transmission.

#### D. Network layer

Network layer includes various bus such as the controller area network (CAN) bus, the RS-485 bus, etc., or wireless network such as wireless sensor network (WSN), Bluetooth, WiFi, etc. It realizes communication connection between perception components, or between perception components and IoT gateway (coordinator).

**E. Middleware layer**

Middleware layer is between application layer and network layer and it receives the data from network layer and it takes decisions based on the performed results and forward that results to application layer. Data storage and managing services is the main activity of this layer. This layer is responsible for the service management and has link to the database.

**IV. INTEGRATION OF CLOUD COMPUTING AND INTERNET OF THINGS**

All p IoT can benefit from the virtually unlimited capabilities and resources of Cloud to compensate its technological constraints (e.g., storage, processing, energy). Essentially, between the nodes and the applications, the Cloud acts as intermediate layer. Some of the issues can be solved, and the advantages can be obtained when adopting the CoT concept. As the number of connected devices increased, more data is required. To store huge amount of data huge space, and more processing is needed. More processing is not possible with IoT. More processing and computation are only possible with cloud computing. Cloud computing gives effective solution to implement IoT service management and composition.

The cloud can provide actual solution to implement IoT service management and composition as well as applications that exploit the things or data formed by them. Also, the Cloud can benefit from IoT by spreading its opportunity to deal with real world things in a more distributed and lively manner, and for bringing new facilities in a large number of real life situations. Cloud computing and IoT is working in integration makes an orientation. How data is communicated between IoT and Cloud in integration is shown in Fig. 3.




Fig.3 Data communication between Cloud and IoT

The adoption of the CoT concept enables new scenarios for smart services and applications based on the extension of Cloud through the things [3], [4]:

- SaaS (Sensing as a Service) [3], [5], [1], providing ubiquitous access to sensor data.
- SAaaS (Sensing and Actuation as a Service) [3], enabling automatic control logics implemented in the Cloud.
- SEaaS (Sensor Event as a Service) [3], [1], dispatching messaging services triggered by sensor events.
- SenaaS (Sensor as a Service) [5], enabling ubiquitous management of remote sensors.
- DBaaS (DataBase as a Service) [5], enabling ubiquitous database management.
- DaaS (Data as a Service) [5], providing ubiquitous access to any data.
- EaaS (Ethernet as a Service) [5], providing ubiquitous layer-2 connectivity to remote devices.
- IPMAaaS (Identity and Policy Management as a Service) [5], enabling ubiquitous access to policy and identity management functionalities.
- VSaaS (Video Surveillance as a Service) [2], providing ubiquitous access to recorded video and implementing complex analyzes in the Cloud.

**V. PROTOCOLS USED IN CLOUD OF THINGS**

**A. CoAP (Constrained Application Protocol)**

In the Cloud of Things architecture, CoAP protocol is used to interact with Things. This protocol is similar to the HTTP protocol, and it provides request/response interaction model between the application end-points. Both CoAP and

HTTP protocols are based on same client/server model, and both are represented by same interaction model. The CoAP protocol exchanges the messages asynchronously over User Datagram Protocol (UDP), and to retrieve the resources from WSN nodes or telematics devices GET method is used. In order to modify the existing resource on a sensor node, or a telematics device PUT method is used. Using the Representational State Transfer (REST) methods of GET, PUT, DELETE, POST resources are requested and identified by the URIs. This protocol also provides a high level of communication security.

#### **B. 6LoWPAN (Low Power Wireless Area Networks)**

6LoWPAN protocol is IPv6 based protocol. The innovation of 6LoWPAN protocol is to provide IP access to a wide set of networked devices, and it is of low-cost. Using cross-layer optimization approach, 6LoWPAN can reduce the IPv6/UDP header while maintaining the main functionalities and the size of the addressing space. This protocol is also supported for routing functionalities that are provided by the Routing Protocol for Low Power and Lossy Networks (RPL) [12].

### **VI. ISSUES OF CLOUD OF THINGS**

It is not simple so simple to allow everything become part of IoT and then having all the resources available for cloud computing. There are some issues to be taken care while integrating cloud and IoT. Issues regarding the Cloud of Things are protocol support, Energy Efficiency, Resource allocation, identity management, IPv6 deployment, Service discovery, Quality of Service provisioning, Location of data storage, Security and privacy, and Unnecessary communication of data. These issues are discussed below.

#### **A. Protocol Support**

In homogenous entities, different protocols must be used for different things to connect to the Internet, for example, consider a sensor IoT, which may be working on different protocols like WirelessHART, ZigBee, and 6LoWPAN. Here gateway device provides support for some protocols and for some protocols it might not have any support. Solutions can be given for this problem may be by mapping of standardized protocols in the gateway device.

#### **B. Energy Efficiency**

The main issue of cloud architecture is Energy Efficiency and this itself becomes an issue in Cloud of Things. Data communication between sensor networks and cloud consumes much power. A wireless is composed of four components such as sensing unit, processing unit, transceiver, and power unit. Power plays an important role in case of video sensing, video encoding, and decoding. Normally, as compared to decoding, video encoding is more difficult and reason for this is an efficient compression, the encoder has to analyse the redundancy in the video [6], and this is not suitable for low power entities such as batteries. For large number of sensors an efficient usage of energy and permanent power supply would be required [7].

#### **C. Resource Allocation**

Resource allocation is a very difficult challenge when different IoTs and unexpected things would be asking for resources on a cloud. Because it is very difficult to decide what resources to be allocated for any particular IoTs. Resource allocation has to be mapped depending upon the sensor and the purpose for which sensor is being used, the type, amount, and frequency of data generation.

#### **D. Identity Management**

When the objects are becoming part of an internet (IoT), they have to communicate with each other, and these objects need to be identified with a unique identifier. It will be useful to communicate with objects that are in different network pool. The IPv6 address space is also support for this kind of ubiquitous networking.

#### **E. Security Discovery**

In Cloud of Things, the cloud manager has the responsibility to discover new services for the users and in IoT, any object can become part of it at any moment and can leave the IoT at any moment. To discover new services and their status and to update the service advertisement is become an issue in CoT. For managing the status of IoT nodes, track nodes, and keep the status updates of existing nodes, as well as newly added nodes of IoTs, a uniform way of service discovery approach is required.

#### **F. Quality of Service Provisioning**

The type and unpredictability come into play as the amount of data increases and also QoS (Quality of Service) becomes an issue. Depending upon the type of data and its urgency to be sent to the sync node, QoS must be supported.

#### **G. Location of data storage**

Time sensitive data, like video, should be stored in the closest possible physical location to the user, so that minimum possible time should be involved in accessing big data. Location also matters for critical and latency sensitive data. Nearest possible virtual storage server must be allocated for multimedia data.

#### **H. Security and Privacy**

Data security would be an issue on IoT side as well as on cloud side. In terms of privacy, sensitive or private data must be stored in a virtual storage server located inside the user's country or trusted domain.

#### **I. Unnecessary Communication of data**

At some stages, it is no longer necessary to upload the data to the cloud or sync device when anything would be able to connect to the Internet and to generate data.

### **VII. CONCLUSION**

This paper describes cloud computing and IoTs and the integration IoT with cloud computing for enhanced service provisioning, data storage, and better utilization of resources. This working procedure of integration is termed as Cloud of Thing(CoT), which discussed how IoT and cloud architectures are communicated with each other in an efficient manner, and also some extended services. In this paper, we discussed some important issues with CoT paradigm. Adapting standardized solutions for those issues is a future and potential work of this paper.

### **REFERENCES**

- [1] S. K. Dash, S. Mohapatra, and P. K. Pattnaik. A Survey of Application of Wireless Sensor Network Using Cloud Computing. *International Journal of Computer Science & Engineering Technologies* (E-ISSN: 2044-6004), 1(4):50–55, 2010.
- [2] A. Prati, R. Vezzani, M. Fornaciari, and R. Cucchiara. Intelligent Video Surveillance as a Service. In *Intelligent Multimedia Surveillance*, pages 1–16. Springer, 2013.
- [3] B. P. Rao, P. Saluia, N. Sharma, A. Mittal, and S. V. Sharma. Cloud computing for Internet of Things & sensing based applications. In *Sensing Technology (ICST), 2012 Sixth International Conference on*, pages 374–380. IEEE, 2012.
- [4] G. Suci, A. Vulpe, S. Halunga, O. Fratu, G. Todoran, and V. Suci. Smart Cities Built on Resilient Cloud Computing and Secure Internet of Things. In *Control Systems and Computer Science (CSCS), 2013 19th International Conference on*, pages 513–518. IEEE, 2013.
- [5] A. Zaslavsky, C. Perera, and D. Georgakopoulos. Sensing as a service and big data. *arXiv preprint arXiv:1301.0159*, 2013.
- [6] Yen-Kuang Chen, “Challenges and Opportunities of Internet of Things”, in the proceedings of 17th Asia and South Pacific Design Automation Conference, , 30 Jan. – 02 Feb., 2012, Santa Clara, CA, USA.
- [7] Dave Evans, “The Internet of Things How the Next Evolution of the Internet Is Changing Everything”, Whitepaper, Cisco Internet Business Solutions Group (IBSG), April 2011.
- [8] Rafiullah Khan, Sarmad Ullah Khan, Rifaqat Zaheer, and Shahid Khan, “Future Internet: The Internet of Things Architecture, Possible Applications and Key Challenges”, in the proceedings of 10th International Conference on Frontiers of Information Technology, Islamabad, Pakistan, 17-19 December, 2012.
- [9] Mell, P. & Grance, T., 2011, “The NIST Definition of Cloud Computing”, NIST Special Publication 800-145 (Draft). Retrieved 2013-10-11)
- [10] Gartner cloud computing definition, <http://www.gartner.com/itglossary/cloud-computing/>
- [11] Alessio Botta, Walter de Donato, Valerio Persico, Antonio Pescap', “On the Integration of Cloud Computing and Internet of Things”.
- [12] T. Winter, P. Thubert, A. Brandt, T. Clausen, J. Hui, R. Kelsey, P. Levis, K. Pister, R. Struik, and J. Vasseur, "RPL: IPv6 Routing Protocol for Low power and Lossy Networks", IETF Internet Draft draft-ietf-roll-rpl-19, 2011, <http://tools.ietf.org/html/draft-ietf-roll-rpl-19>, retrieved by 20 July 2012.